

Chrome+™

Elemental Innovative Computed Radiography



16 | Bit Resolution

76 | Plates Per/Hr

56 | Lbs

Affordable Tabletop Scanner | Upgradable CR | Scalable Solution

Chrome+™ the elemental CR, a lightweight compact tabletop scanner designed to address the needs of a scalable practice. This affordable solution produces high definition image quality and is backed by powerful optics, sensors and dual PMT imaging

intelligence. Physicians can achieve amazing workflow at a much lower cost with its integrated pairing with the robust and feature-rich image processing XC™ software. XC provides superior quality images every time with an option to further manipulate the images.



ICR | Chrome+

Image Capture Review

IMAGE

CHROME+ | HD RESOLUTION CR

Chrome+ is a scalable design that allows for the highest efficiency Crystal IP phosphor screens, 16 Bit available gray scale, and upgradable features that provide users with stunning 10 lp/mm maximum resolution

CAPTURE

XC | ACQUISITION

XC touchscreen acquisition with ICE-3 Enhancement Processing provides all-new features including, "Image Display State" to ensure balanced presentation of both soft tissue, overlapping bone structures, and automatic analysis of image characteristics to optimize processing.

REVIEW

CLARITY PACS

Our fully web-enabled and integrated PACS solutions help transition your practice into a safe, secure, and filmless environment. Clarity PACS™ supports all your current and future imaging needs.

icrco.com

Chrome+™

Elemental Innovative Computed Radiography

TFSP
TRUE FLAT SCAN PATH

Chrome+ is paired with XC™, iCRco's superior image acquisition software. Custom settings can be defined based on user preference, allowing you to apply advanced image processing algorithms to look for even the smallest details.

Add our complete imaging workflow solution and you have the whole package: Image Acquisition, RIS-PACS, a Desktop Viewer, a Mobile Viewer for the iPad™



Chrome+ Specifications*

| Micron Spot Size | Pixels Per mm | Dots Per Inch (DPI) | Line Pairs Per mm |
|------------------|---------------|---------------------|-------------------|
| 200 | 5 | 127 | 2.5 |
| 155 | 7.5 | 190 | 3.7 |
| 100 | 10 | 254 | 5 |

THE CHROME+ CAPTURES AT 60 MEGAPIXELS

| | |
|----------------------|---|
| Grayscale resolution | 16 bits/pixel source file, 65536 shades of gray |
| Plate throughput | 76 plates per/hour |
| Cassette sizes | 14" x 17" (35 x 43 cm), 10" x 12" (25 x 30 cm) |
| Weight | 56 lbs (25.4 kg) |
| Dimensions | W18" x D30.69" x H7.625" (W45.72 x D68.58 x H19.37 cm) |
| Power source | 100-240V AC/ 2.5A max; 47-63Hz (Universal power supply) |
| Heat generation | Standby 230W, maximum 1610W |
| Operating conditions | Temperature; 0-40°C/32-105°F, temperature change: 0.5°C/min, humidity: 15%-95% RH, magnetic fields: max 1260 µT (in conformance with EN 61000-4-8: level 3), 10 A/m |

* Specifications are subject to change without notice. Processing and display time dependent on processor speed, RAM disk access time, and video card.



Components are made from 98% recyclable parts • iCRco is an ISO 13485 certified company
• U.S. and international patents granted • Additional patents pending • FDA 510 (K) Cleared
• Medical CE mark CE 0086

© 2015 iCRco. All rights reserved. "Chrome+", True Flat Scan Path™ and "XC" are registered trademarks of iCRco. BR030415AUS

XC™ Acquisition Software Features

- XC - Intuitive touchscreen acquisition
- ICE-3 Processing - Automated image characteristics analysis for maximum image enhancement
- Image Display State: Automated enhancement of image display at the point of acquisition
- Smart search, sort, and filter options
- Integration with front office management systems like RIS and EMR
- Full set of annotation and measurement tools
- User-preferred settings and privileges

Components are made from 98% recyclable parts • iCRco is an ISO 13485 certified company

Outer Dimensions

